



# Infectious diseases reported in surveillance systems by migrant populations in Europe – examples of Germany and the UK

Akmatov M<sup>1</sup>, Paetzelt G<sup>2</sup>, Reintjes R<sup>2</sup>, Krämer A<sup>1</sup>  
WP 7- Infectious Diseases


- <sup>1</sup> Department of Public Health Medicine -  
School of Public Health - University of Bielefeld – Germany
- <sup>2</sup> Department of Public Health - Faculty of Life Sciences -  
Hamburg University of Applied Sciences - Germany

"This project is funded under the framework of Public Health Programme  
2003-2008 of the European Commission (contract number 2005122)"



EUPHA pre-conference on migrant health, 5 November 2008, Lisbon, Portugal

# Geographic Pattern of Hepatitis B Prevalence



Source: WHO data, 1996 (unpublished), Department of Immunization, Vaccines and Biologicals (IVB)

Date of slide: 7 July 2004

The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.  
© WHO 2004. All rights reserved.



# Proportion of migrant populations

- ✓ Germany (n=82,217,800):
  - ✓ 87% German population
  - ✓ 8.9% Foreign population<sup>1</sup>
  - ✓ 3.9% Resettlers<sup>2</sup>
- ✓ The UK (n=58,789,194):
  - ✓ 92.1% White ethnic group
  - ✓ 7.9% All other ethnic groups<sup>3</sup>

Sources: <sup>1</sup> Federal Statistical Office Germany

<sup>2</sup> Federal Ministry of the Interior (Migration report)

<sup>3</sup> Office for National Statistics, Census 2001

































